Manufacturer & Exporter of Mining Machines Equipments



An ISO 9001:2015 Certified Company NEVA HDS ENTERPRISES Quality Assured at Low Prices



Diamond Wiresaw Machine, Slim Drill Ld4 Machines Concrete Cutting Wiresaw Machine, All Type of Mining Machines Parts

DIAMOND WIRESAW MACHINE



Capacity: 75 HP,60 HP, 40 HP & 20 HP

Weight: 75 HP (2100 KG.- Approx) 60 HP (1900 KG.-Approx) 40 HP (1700 KG.-Approx) 20 HP (900 KG.-Approx) Model Number: HDS 75 HP, HDS 60HP, HDS 40HP & HDS 20HP

Desecration

We Deal In New Only. HDS had developed the HDS 75, HDS 60, HDS 40 & HDS 20 wire saw machine to suit the entire Marble & Granite quarry with competitive price. Machine are designed to better stability and accuracy in quarrying for maximum efficiency, we provide a comprehensive service package which includes training commissioning and operative instruction.



20 HP DRESSING WIRESAW MACHINE



Capacity: 20 HP Weight: 20 HP (900KG.-Approx) Model Number: HDS 20HP

Description :

HDS had developed HDS 20 Block Dressing Wire Saw Machine. In this machine main wheel is joint on motor. It is Direct Model system made to work on smaller cuts upto 25 Sq. mt. such as in block dressing of stones. It also complements 60 HP wire saw machine and has a similar installation and services package.

- 1. Machine is equipped with 1 HP. DC Motor with Variable speed.
- 2. Independent control panel.
- 3. 600 mm Main pulley coupled directly on motor.



DC Motor







Cross Holder

SLIM DRILL LD4 MACHINE (GREECE BASED)

This machine is used for drilling in quarry. Its a master piece and it can drill both vertical and horizontal up to 130 Meter. While drilling in any Direction, it gives 15 degrees flexibility by ball joint between feed beam and anchoring frame.

Description:

Compressed air requirement: 6-12 bar (250/100cfm.-325/ 100cfm.-450/100cfm.) Feed Force= 8 K.N.

> Capacity: 130 mtr. Weight: 1000 Kg. Approx Model Number: HDS- LW-120 Dimensions: Length: 3230 mm (Approx) Width : 812 mm (Approx) Height: 1060 mm (Approx)



Equipped with 4 Cylinder hardened grinded steel double Piston motor with torgue and Gear Box. Heavy Gear Box and Palentry is given Inside with Greece system so that no need to oil regularly. so that is gives supreme performance with low maintenance.



MP4 High Speed Hammer



Winch Gear Box, Worm gear & Liner of Phosphorus bronze material.



2 way Hardened Grinded Free maintenance Lever Use to Operate Control unit With Pressure Control.

SLIM DRILL LD4 MACHINE (OIL BASED)

This machine is used for drilling in quarry. Its a master piece and it can drill both vertical and horizontal up to 130 Meter. While drilling in any Direction, it gives 15 degrees flexibility by ball joint between feed beam and anchoring frame.

Description :

Compressed air requirement: 6-12 bar (250/100cfm.-325/ 100cfm.-450/100cfm.) Feed Force= 8 K.N.

Capacity: 130 mtr. . Drilled horizontal and vertical both Weight: 800 Kg. Approx Model Number: HDS- LW-120 Dimensions: Length: 3230 mm (Approx) Width : 812 mm (Approx) Height: 1060 mm (Approx)



HP Hammer

DIAMOND WIRE BLOCK DRESSING MACHINE



Description :

Our expert Team of Skilled professionals, We have Designed quality approved Diamond Wire Block Dressing Machine In Granite Marbles. This Machine is widely used in squaring of large granite Marbles blocks which come from quarry in unequal shape. These Machines are manufactured by our Team of Experienced professionals using International quality Standards. Using High Quality Material More over, these Diamond Wire Block Dressing Machines are available at Best competitive Prices as per the market.

Technical Specification

Main Motor Power	:	20 HP / 15KW
Feed Motor	:	3HP/2.2KW
Trolley Motor	:	2 HP/1.5 KW
Linear Wire Speed	:	27 Mtr. /Sec
Length of Wire Rope	:	17.7 Mtr.
Maximum Useful Cut Size	:	4000 mm x 2500 mm
Down Feed	:	300mm/hrs. and above
Size of Saw Car	:	2250 x 2250mm
Tensioning Device	:	Pneumatic
Total Installed Power	:	29 HP/21.75 KW

CONCRETE CUTTING WIRE SAW MACHINE



Mode	: HDS (CCM)	166
Control Type	: Remote Control	1. lt
Driving	: Electric	
Tensioning	: Electric	•
Power	: 7.5 HP - 40 HP	2. T
Voltage	: 3-Phase, 415V	а
Temperature	: -15°C-45°C	al
Speed	: 26m/s	
Max Tension	: 230KG	3. D
OD Of Driving Pulley	: 500mm	ens
Track Length	: 1300mm	
Dimensions	: 2200x 800 x 880 mm (Ap	prox)
Net Weight	: 366 KG	

Features :

. It is Applicable to the cutting operation of bridges and reinforced concrete.

. The Machine is light and exquisite, simple and easy to operate, and can adapt to all kinds of complex cutting environment.

. Dual frequency converter control system nsures the best cutting efficiency of bead rope.

Description :

This Machine is Design to Cut concrete Pillars & Beams Manufactured from M.S. Iron guaranteeing flawless performance.

FASTEST SOLUTION FOR PUSHING BLOCKS




Dimensions

Hydraulic Cylinder Size OD 250 mm. and Height is 300 mm. Hydraulic Power pack length 500 mm., Width 300 mm. Insertion View Height 200 mm.

Description

Machine is equipped with 2 HP. AC. Motor Hydraulic jack pushing capacity is 6 Inches & Whatever is your need. Hydraulic jack and power pack capacity 300 tons.

HYDRO WATER BAGS (GRANITE AND MARBLE USE)



Features:

Perfect finish High durability Precision-designed

Dimension:

Big : 2000m X 2000m Medium : 1000m X 1000m Small : 1000m X 500 m

Description :

The Hydro (Water) bag is Manufactured from the finest high quality tensile steel. hereby guaranteed flawless performance. The bag is inserted in the crack in the block and it separates the block as soon as water is inserted in the bag with the help of water pump.

HDS 100 AIR BAG



Dimensions:

 Big
 : 9 ft. x 6 ft.

 Medium
 : 5 ft x 6 ft.


 Small
 : 5 ft x 4 ft.

 Thickness
 : 15 mm.

Description :

Air Bag is used in marble and granite quarry. It can push block up to 4 Inch x 18 Inch Depending on Block's Position. It can work Fast, It has Long life and is repairable.

PNEUMATIC HDS 100 THIN AIR BAG



Description :

Our Experts have Design a new product name thin air bag which is used after wire saw cut & Hydro water bag. Providing Opening of 2.5 Inches at the top.

Mining Machine Parts & Other Accessories



Concrete Cutting Wire Rope

Hallow shaft



Marbles/Granite Cutting Wire Rope



Main Shaft



Spendal



Check nut



Crown Pinion



Pneumatic Drifter





Reverse Cut Stand

About us



NEW HDS ENTERPRISES was established in the year 2014. It is an **ISO 9001 2015** certified company equipped with modern machinery for the production of the best quality Machines. We **NEW HDS ENTERPRISES** are managed by young professionals who are basically into the manufacturing and marketing of Mining Machines.

NEW HDS ENTERPRISES is an emerging market lead in the field through maintaining a high standard of quality and after Sales Service. The company was established in the year 2014 dealing in manufacturing of mining machines manufacturing. We can design, manufacture, and install customized products to meet our clients' requirements. We maintain a state of the art technologies and equipment to assist our engineers in the selection and designing of the most effective products form the type of raw Material available for each individual client.

We Believe in Maintaining long Time Relationships with material are Clients by Providing them Best Quality Products & Services at Most Reasonable Prices as Compered to Market.

We Have Served over 1500 Clients Over the Past few years who are highly Satisfied with our Machines & Professional Work Ethics.

The company is already working across the globe in countries like India, Indonesia, Oman, Afghanistan, Dubai, South Africa Etc..

We have our own Manufacturing facility at Udaipur, Rajasthan. Equipped with Team of Engineers, Analyst, Technicians with rich experience in the field concerned field.





Office : Opposite Sukher Police Station, Near Witty International School, Sukher Industrial Area, Udaipur 313001 (Rajasthan) INDIA
 Email : newhdsenterprises@gmail.com

Website : www.newhdsenterprises.com Cell : +91 89490 27928

