


Manufacturer & Exporter of Mining Machines Equipments



An ISO 9001:2015 Certified Company

NEW HDS
ENTERPRISES

— Quality Assured at Low Prices —



Diamond Wiresaw Machine, Slim Drill Ld4 Machines
Concrete Cutting Wiresaw Machine, & All Type of Mining Machines Parts

DIAMOND WIRESAW MACHINE



Capacity: 75 HP, 60 HP, 40 HP & 20 HP

Weight: 75 HP (2000 KG.- Approx) 60 HP (1800 KG.-Approx) 40 HP (1600 KG.-Approx) 20 HP (800 KG.-Approx)

Model Number: HDS 75 HP, HDS 60HP, HDS 40HP & HDS 20HP

Desecration

We Deal In New Only. HDS had developed the HDS 75, HDS 60, HDS 40 & HDS 20 wire saw machine to suit the entire Marble & Granite quarry with competitive price. Machine are designed to better stability and accuracy in quarrying for maximum efficiency, we provide a comprehensive service package which includes training commissioning and operative instruction.



Aluminium Wheels



DC Gear



Side Pulley

20 HP DRESSING WIRESAW MACHINE



Capacity: 20 HP

Weight: 20 HP (800KG.-Approx)

Model Number: HDS 20HP

Description :

HDS had developed HDS 20 Block Dressing Wire Saw Machine. In this machine main wheel is joint on motor. It is Direct Model system made to work on smaller cuts upto 25 Sq. mt. such as in block dressing of stones. It also complements 60 HP wire saw machine and has a similar installation and services package.

1. Machine is equipped with 1 HP. DC Motor with Variable speed.
2. Independent control panel.
3. 600 mm Main pulley coupled directly on motor.



DC Motor



Track Wheel




Cross Holder

SLIM DRILL LD4 MACHINE (GREASE BASED)

This machine is used for drilling in quarry. Its a master piece and it can drill both vertical and horizontal up to 30 Meter. (98 Ft. Approx)While drilling in any Direction, it gives 15 degrees flexibilityby ball joint between feed beam and anchoring frame.

Description :

Compressed air requirement: 6-12 bar
(250/100cfm.-325/ 100cfm.-450/100cfm.)
Feed Force= 8 K.N.



Capacity: 30 Mtr. (98 Ft. Approx)

Weight: 750 Kg. Approx

Model Number: HDS- LW-120

Dimensions:

Length: 3230 mm (Approx)

Width : 812 mm (Approx)

Height: 1060 mm (Approx)



Equipped with 4 Cylinder hardened grinded steel double Piston motor with torque and Gear Box. Heavy Gear Box and Palentry is given Inside with Greece system so that no need to oil regularly. so that is gives supreme performance with low maintenance.



Winch Gear Box, Worm gear & Liner of Phosphorus bronze material.



MP4 High Speed Hammer

2 way Hardened Grinded Free maintenance Lever
Use to Operate Control unit With Pressure Control.



SLIM DRILL LD4 MACHINE (OIL BASED)

This machine is used for drilling in quarry. Its a master piece and it can drill both vertical and horizontal up to 30 Meter. (98 Ft. Approx)While drilling in any Direction, it gives 15 degrees flexibility by ball joint between feed beam and anchoring frame.

Description :

Compressed air requirement: 6-12 bar
(250/100cfm.-325/ 100cfm.-450/100cfm.)
Feed Force= 8 K.N.

Capacity: 30 Mtr. (98 Ft. Approx)
Drilled horizontal and vertical both

Weight: 700 Kg. Approx

Model Number: HDS- LW-120

Dimensions:

Length: 3230 mm (Approx)

Width : 812 mm (Approx)

Height: 1060 mm (Approx)



LD4 Drill Rod



HP Hammer



Bit

DIAMOND WIRE BLOCK DRESSING MACHINE



Description :

Our expert Team of Skilled professionals, We have Designed quality approved Diamond Wire Block Dressing Machine In Granite Marbles. This Machine is widely used in squaring of large granite Marbles blocks which come from quarry in unequal shape. These Machines are manufactured by our Team of Experienced professionals using International quality Standards. Using High Quality Material More over, these Diamond Wire Block Dressing Machines are available at Best competitive Prices as per the market.

Technical Specification

Main Motor Power	: 20 HP / 15KW
Feed Motor	: 3HP/2.2KW
Trolley Motor	: 2 HP/1.5 KW
Linear Wire Speed	: 27 Mtr. /Sec
Length of Wire Rope	: 17.7 Mtr.
Maximum Useful Cut Size	: 4000 mm x 2500 mm
Down Feed	: 300mm/hrs. and above
Size of Saw Car	: 2250 x 2250mm
Tensioning Device	: Pneumatic
Total Installed Power	: 29 HP/21.75 KW

HYDRAULIC DIAMOND WIRE SAW



Machine Details:

Size	: 700 x 450 x 750mm
Material	: Cast Iron
Weight	: 150kg
Operation Mode	: Semi Automatic
Voltage	: 330V
Phase	: 3Phase
Frequency	: 50Hz
Power Source	: Electric

Features :

1. It is Applicable to the cutting operation of bridges and reinforced concrete.
2. The Machine is a master Piece Design to speed up Cutting of Reinforced Concrete.
3. Widely Use by Demolition Contractor.

CONCRETE CUTTING WIRE SAW MACHINE



Machine Details

Mode	:	HDS (CCM)
Control Type	:	Remote Control
Driving	:	Electric
Tensioning	:	Electric
Power	:	7.5 HP - 40 HP
Voltage	:	3-Phase, 415V
Temperature	:	-15°C-45°C
Speed	:	26m/s
Max Tension	:	230KG
OD Of Driving Pulley	:	500mm
Track Length	:	1300mm
Dimensions	:	2200x 800 x 880 mm (Approx)
Net Weight	:	366 KG

Features :

1. It is Applicable to the cutting operation of bridges and reinforced concrete.
2. The Machine is light and exquisite, simple and easy to operate, and can adapt to all kinds of complex cutting environment.
3. Dual frequency converter control system ensures the best cutting efficiency of rope.

Description :

This Machine is Design to Cut concrete Pillars & Beams Manufactured from M.S. Iron guaranteeing flawless performance .

CONCRETE CUTTING FLOOR SAW MACHINE



Machine Details

Power Consumption	: 12.5 Hp to 15Hp
Cutting Blade Size	: 8 to 32 inch
Model Number	: HDS-FS-CC-300
Warranty	: 1 year No Load
Speed	: 1250rpm
Usage/Application	: INDUSTRIAL AUTOMATIC
Voltage	: 400V
Weight	: 130Kgs
Country of Origin	: Made in India

Features :

1. Comfortable grip handles
2. Easy crank for raising/lowering cutting depth
3. Hinged front, lift-up blade guard is designed to provide easy blade replacement
4. Saw position guide helps ensure straight cuts
5. Water system provides an optimum flow and volume of water to the blade.

Application :

This Machine is Used for floor Cutting, Groove Cutting,

FASTEST SOLUTION FOR PUSHING BLOCKS



Description

Machine is equipped with 2 HP. AC. Motor Hydraulic jack pushing capacity is 6 Inches & Whatever is your need. Hydraulic jack and power pack capacity 300 tons.

Dimensions

Hydraulic Cylinder Size OD 250 mm.
and Height is 300 mm.
Hydraulic Power pack length 500 mm.,
Width 300 mm.
Insertion View Height 200 mm.

HYDRO WATER BAGS (GRANITE AND MARBLE USE)



Description :

The Hydro (Water) bag is Manufactured from the finest high quality tensile steel. hereby guaranteed flawless performance . The bag is inserted in the crack in the block and it separates the block as soon as water is inserted in the bag with the help of water pump.

Features:

Perfect finish
High durability
Precision-designed

Dimension :

Big : 2000m X 2000m
Medium : 1000m X 1000m
Small : 1000m X 500 m

HDS 100 AIR BAG

Dimensions:

- Big** : 9 ft. x 6 ft.
- Medium** : 5 ft x 6 ft.
- Small** : 5 ft x 4 ft.
- Thickness** : 15 mm.



Description :

Air Bag is used in marble and granite quarry. It can push block up to 4 Inch x 18 Inch Depending on Block's Position. It can work Fast, It has Long life and is repairable.

PNEUMATIC HDS 100 THIN AIR BAG

Dimensions:

- Big** : 5 ft. x 2 ft.
- Medium** : 4 ft x 2 ft.
- Small** : 3 ft x 2 ft.
- Thickness** : 8 mm.



Hose Pipe

Two hose pipe 7 Meter long with quick connect couplings for inflation and pressure control of special quality.



Control Panel

control panel is complied with pressure Gauge capable of inflating two air bags at the same time.

Description :

Our Experts have Design a new product name thin air bag which is used after wire saw cut & Hydro water bag. Providing Opening of 2.5 Inches at the top.

DIAMOND WIRE ROPE

Concrete Cutting Wire Rope



RUBBER COATED Wire Rope

Description

Length	: 50m
No of beads per meter	: 39
Cutting speed	: 30 m ² / hr. (Approx)
Material	: RUBBER & PU
Diameter of beads	: 11.5mm
Country of Origin	: India

PU COATED Wire Rope

Application :

This wire rope is Designed to Cut concrete Pillars & Beams Manufactured from M.S. Iron guaranteeing flawless performance .

Mostly Used at construction Side- Multi Story Building, Metro Station, Bridges.

Marbles/Granite Cutting Wire Rope



RUBBER COATED Wire Rope

Description

Length	: 50m
No of beads per meter	: 39
Cutting speed	: 60 m ² / hr. (Approx)
Material	: RUBBER & PU
Diameter of beads	: 11.5mm
Country of Origin	: India

PU COATED Wire Rope

Application :

This wire rope is Used for Granite & Marbles Query.

Widely Supplied in Rajasthan, Tamil Nadu, Karnataka, Andra Pradesh

Mining Machine Parts & Other Accessories



Hallow shaft



Main Shaft



Spendal



Check nut



Crown Pinion



Pneumatic Drifter



Rubber Side Reverse Cut
Stand Center Pulley



Reverse Cut Stand



Guide Pulley 8 Inch



Polymer Ring



Cutting Wheel

Gallery

Machine Manufacturing




Machine Dispatch



Machine On Site



About us



An ISO 9001:2015 Certified Company

NEW HDS
ENTERPRISES

— Quality Assured at Low Prices —

NEW HDS ENTERPRISES was established in the year 2014. It is an **ISO 9001: 2015** certified company equipped with modern machinery for the production of the best quality Machines. We **NEW HDS ENTERPRISES** are managed by young professionals who are basically into the manufacturing and marketing of Mining Machines.

NEW HDS ENTERPRISES is an emerging market lead in the field through maintaining a high standard of quality and after Sales Service. The company was established in the year 2014 dealing in manufacturing of mining machines manufacturing. We can design, manufacture, and install customized products to meet our clients' requirements. We maintain a state of the art technologies and equipment to assist our engineers in the selection and designing of the most effective products form the type of raw Material available for each individual client.

We Believe in Maintaining long Time Relationships with material are Clients by Providing them Best Quality Products & Services at Most Reasonable Prices as Compered to Market.

We Have Served over 1500 Clients Over the Past few years who are highly Satisfied with our Machines & Professional Work Ethics.

The Company is already working across the globe in countries like India, Indonesia, Oman, Afghanistan, Dubai, South Africa Etc..

We have our own Manufacturing facility at Udaipur, Rajasthan.
Equipped with Team of Engineers, Analyst, Technicians with rich experience in the field concerned field.




GeM
Government
e Marketplace



tradeindia.com
India's largest B2B marketplace





An ISO 9001:2015 Certified Company
NEW HDS
ENTERPRISES
— Quality Assured at Low Prices —

Office : 333, City Center Mall, Opp. Sukh Sagar Palace, Ashok Nagar Main Road,
Udaipur -313001 (Rajasthan) INDIA

Factory : ITI Ghatai, Pratap Nagar, Udaipur- 313004 (Rajasthan) INDIA

Email : newhdsenterprises@gmail.com

Website : www.hdsindiatools.com

www.newhdsenterprises.com

Cell : +91 89490 27928

